

Movement by Perfection



The Royal League in **ventilation**, control and drive technology



Product documentation

Type ZN045-4EL.2F.V7P2

Article number 174303



The Royal League Die Königsklasse

Product documentation

Type ZN045-4EL.2F.V7P2

Article number 174303



Contents

1.	Product specification	3
2.	Characteristic curve	4
3.	Drawing	5
4.	Connection diagram	6
5.	EU-Declaration of conformity	7



© ZIEHL-ABEGG SE

TPL_PG_Datenblatt-V6-10

Release Date: 08.02.2013

Technical changes reserved

The Royal League Die Königsklasse

1. Product specification

Technical data

Article number	174303	
Туре	ZN045-4EL.2F.V7P2	
Designation	ZAplus axial fan with sickle blades	
Rated values	1~230V±10% 50Hz P ₁ 380W	
	1.70A ∆I=5% 1250/min 7.0uF/400V 65°C	
Electrical connection	Terminal box K05	
Min. operating temperature °C	-25	
Mounting type terminal box	Mounted on Stator	
Type of protection	IP54	
Thermal class	THCL155	
Connection diagram	1360-104XA	
Rating plate	1x fixed	
Fitting position	H/Vu/Vo	
Motor protection	thermal contact	
Impregnation	Moisture and hot climate protection	
Quality of bearings	ball bearing with long-time lubrication	
Material Rotor	Aluminium	
Painting rotor	Rotor 1 coat painted	
colour rotor	RAL 9005 (jet black)	
Material blades	High Performance Composite Material	
Painting impeller	unpainted	
Colour blades	black	
Field of application	Conceived for individual application in greenhouse.	
Other	All connecting elements in stainless steel.	
Painting pipe	Bell mouth unpainted	
Colour pipe	white	
Weight kg	8,60	
ErP Data	Efficiency η_{statA} : 34.5 % Efficiency: $N_{actual} = 43.6 / N_{target} = 40^*$ *ErP 2015	

www.ziehl-abegg.com 15/09/2016 15:18:26

Movement by Perfection | Bewegung durch Perfektion



© ZIEHL-ABEGG SE

TPL_PG_Datenblatt-V6-10


Release Date: 08.02.2013

Technical changes reserved


The Royal League Die Königsklasse

2. Characteristic curve


Air performance



Acoustics



Efficiency



Gemessen in Volldüse ohne Berührschutzgitter in Einbauart A nach ISO 5801

www.ziehl-abegg.com 15/09/2016 15:18:26

Movement by Perfection | Bewegung durch Perfektion



© ZIEHL-ABEGG SE


TPL PG Datenblatt-V6-10

Release Date: 08.02.2013

Technical changes reserved

The Royal League Die Königsklasse

3. Drawing



Dimensions in mm

Shown drawing is just to show the dimensions of the fan.

www.ziehl-abegg.com 15/09/2016 15:18:26 Movement by Perfection | Bewegung durch Perfektion



© ZIEHL-ABEGG SE

TPL_PG_Datenblatt-V6-10

Release Date: 08.02.2013

Technical changes reserved

The Royal League Die Königsklasse


4. Connection diagram

1360-104XA

1~Motor with capacitor and thermostatic switch (if built in).

U1brownU2blueZ1blackZ2orangeTBwhite

Clockwise rotation



www.ziehl-abegg.com 15/09/2016 15:18:26 Movement by Perfection | Bewegung durch Perfektion



© ZIEHL-ABEGG SE

TPL_PG_Datenblatt-V6-10

Release Date: 08.02.2013

Technical changes reserved

The Royal League Die Königsklasse

5. EU-Declaration of conformity

EC-Declaration of conformity

- Translation -(english) ZA75-GB 1616 Index 011 00285644-GB

Manufacturer:

ZIEHL-ABEGG SE Heinz-Ziehl-Straße 74653 Künzelsau Germany

The manufacturer is solely responsible for issuance of the declaration of conformity.

The products:

- · External rotor motor MK.., MW..
- Axial fan FA.., FB.., FC.., FE.., FF.., FS.., FT.., FH.., FL.., FN.., FV.., DN.., VR.., VN.., ZC.., ZF.., ZN..
- Centrifugal fan RA.., RD.., RE.., RF.., RG.., RH.., RK.., RM.., RR.., RZ.., GR.., ER..
- · Cross-flow fan QK ..., QR ..., QT ..., QG ..

The engine type:

- · Asynchronous internal or external rotor motor
- Asynchronous internal or external rotor motor with integrated frequency inverter, except EDP system
- · Electronically commutated (EC) internal or external rotor motor
- · Electronically commutated internal or external rotor motor with integrated EC Controller, except EDP system

These products comply with the following EU directives:

- EMC Directive 2014/30/EU
- Low voltage directive 2014/35/EU
- ErP Directive 2009/125/EC, in conjunction with Regulation (EU) no. 327/2011

The following harmonized standards are in use:

EN 60034-1:2010 + Cor.:2010 EN 61000-6-3:2007 + A1:2011 + AC:2012 EN 60204-1:2006 + A1:2009 + AC:2010 EN 61000-6-2:2005 + AC:2005 EN 60529:1991 + A1:2000 + A2:2013

Compliance with the ErP Directive 2009/125/EC does not refer to external rotor motors MK.., MW..

All ErP-relevant information comprises measurements which are determined using a standardised measurement set-up. More details can be obtained from the manufacturer.

Compliance with the EMC Directive 2014/30 / EU refers only to those products when they are connected by mounting / operating instructions. If these products are integrated into a system or supplemented with other components (eg. sensing controls) and operated , the manufacturer or operator is responsible of the overall system for compliance with the EMC Directive 2014/30 / EU.

Künzelsau, 20.04.2016 (Location, date of issue)

ZIEHL-ABEGG SE Dr. W. Angelis Technical Director Air Movement Division (Name, Function)

i.V. W. chigelis

(Signature)



www.ziehl-abegg.com 15/09/2016 15:18:26

Movement by Perfection | Bewegung durch Perfektion

7 | 8

© ZIEHL-ABEGG SE

TPL_PG_Datenblatt-V6-10

Release Date: 08.02.2013

Technical changes reserved

The Royal League Die Königsklasse



The Royal League in ventilation, control and drive technology

Intelligent control technology for any application

ZIEHL-ABEGG system capabilities: Everything from a single source – perfectly matched for optimal performance

Please contact us. We would be pleased to design an individual solution for your requirements.

We would like to welcome you on our worldwide exhibitions. Please find our next exhibitions here.

Movement by Perfection | Bewegung durch Perfektion



© ZIEHL-ABEGG SE

TPL_PG_Datenblatt-V6-10

Release Date: 08.02.2013

Technical changes reserved